

Tubos Sólidos		
Código	Øint.(mm)	Øext.(mm)
PN-0804	1,5	3,0
PN-7793	1,5	3,5
PN-0805	1,5	5,0
PN-7736	1,6	3,6
PN-7585	1,9	3,2
PN-7304	2,0	3,0
PN-7731	2,0	4,5
PN-7586	2,5	5,0
PN-7041	2,5	5,5
PN-7305A	2,9	4,9
PN-7305	3,0	5,0
PN-3505	3,0	6,0
PN-7137	3,0	8,0
PN-3406	3,0	9,5
PN-0615	3,0	10,0
PN-0797	3,2	5,0
PN-7319	3,2	6,4
PN-0734A	3,2	14,2
PN-0631	3,5	6,0
PN-0564/A	4,0	7,0
PN-0646	4,0	8,0
PN-0646A	4,0	9,0
PN-0935	4,0	10,5
PN-7818	4,0	11,0
PN-0934	4,0	15,5
PN-0624	4,7	7,0
PN-7306	5,0	8,0
PN-3513	5,0	9,0
PN-0680B	5,0	10,0
DA-005F	5,0	15,0
PN-4315	5,3	7,3
PN-0328	5,8	12,0
PN-7908	6,0	7,2
PN-7379A	6,0	8,0
PN-3524	6,0	9,0
PN-7307B	6,0	10,0
PN-7975	6,0	11,0
PN-7308A	6,0	12,0
PN-0939	6,0	18,0
PN-0514/A	7,0	11,0
PN-7841	7,0	12,0
PN-7008	7,0	13,0
PN-7081	7,0	20,0
PN-0944	7,4	16,8
PN-7607	7,6	10,0

Tubos sólidos em SBR/Neoprene/NBR/EPDM cor: preta

Silicone colorido/transp. e preto.

Dureza 65 ± 5 sh A



Tubos Sólidos		
Código	Øint.(mm)	Øext.(mm)
PN-0530B	7,9	12,0
PN-7219	7,9	13,9
PN-7309	8,0	11,5
PN-0959	8,0	12,0
PN-0941A	8,0	12,5
PN-7310	8,0	12,8
PN-7311	8,0	14,0
PN-7832	8,0	15,0
PN-7046	8,0	20,0
PN-7321	8,6	10,5
PN-7580	8,6	20,0
PN-7578	8,7	22,4
PN-7584	9,0	12,4
PN-7062	9,0	13,0
PN-0537	9,0	14,0
PN-0746/A	9,5	12,5
PN-0467	9,5	12,7
PN-0763	9,5	13,0
PN-7312	9,5	14,5
PN-7854	9,5	14,6
PN-7354	9,5	15,0
PN-7354B	9,5	15,5
PN-7318	9,5	16,0
PN-7987	10,0	14,0
PN-3523	10,0	15,0
PN-7598	10,0	20,0
PN-7753A	10,0	22,0
PN-0837	10,0	32,0
PN-0734	11,0	15,0
PN-0559	11,8	16,0
PN-7317A	12,0	16,0
PN-7313	12,0	17,0
PN-3525	12,0	18,0
PN-7314	12,0	18,5
PN-7753	12,0	22,0
PN-7753B	12,5	22,5
PN-8114	12,5	32,5
PN-7317	12,7	16,0
PN-7587	12,7	18,7
PN-0937	12,7	27,7
PN-7366	13,0	19,0
PN-7976	14,0	19,0
PN-0424	15,6	27,8
PN-7315	15,8	22,2
PN-8033	16,0	19,0

Tubos sólidos em SBR/Neoprene/NBR/EPDM cor: preta

Silicone colorido/transp. e preto.

Dureza 65 ± 5 sh A



Tubos Sólidos		
Código	Øint.(mm)	Øext.(mm)
PN-0329	16,0	24,0
PN-7368	16,0	50,0
PN-7583	17,0	21,0
PN-7479	18,0	22,0
PN-0936	19,0	23,0
PN-7531	19,0	25,0
PN-0558A	19,0	31,0
PN-0696	20,0	23,0
PN-8095	21,0	28,0
PN-0907	25,0	29,0
PN-8089	26,0	32,0
PN-7247	31,0	38,0
PN-8081	32,0	40,0
PN-0877	37,0	44,5
PN-7249	42,0	50,0
PN-8101	50,8	60,8

Tubos sólidos em SBR/Neoprene/NBR/EPDM cor: preta
Silicone colorido/transp. e preto.
Dureza 65 ± 5 sh A